# **Ante-mortem Inspection**

## **Objectives**

Upon completion of the Ante-mortem Inspection module the trainee will be able to:

- 1. Describe the following:
  - a. Ante-mortem inspection
  - b. Delayed slaughter antemortem inspection for livestock
  - c. Alternative ante-mortem inspection procedure for livestock
  - d. U.S. Suspect
  - e. U.S. Condemned
  - f. Downer
  - g. The reasons for ante-mortem inspection
- 2. Identify the establishment's responsibilities for:
  - a. Livestock pens
  - b. U.S. Suspect pen for livestock
  - c. Floors in livestock pens
  - d. Assistance for ante-mortem inspection
- 3. Identify the equipment and supplies that are needed to perform livestock antemortem inspection.
- 4. Describe the appropriate methods for conducting ante-mortem inspection.
- 5. Complete, given a list of information, the following in livestock inspection:
  - a. A pen card
  - b. FSIS Form 6150-1
- 6. Given a list describing methods used to dispose of a livestock carcass condemned on ante-mortem, select those methods that are approved by FSIS.

## **Ante-mortem Inspection**

The term ante-mortem means "before death." Ante-mortem inspection is the inspection of live animals prior to being slaughtered. All livestock presented for slaughter by the establishment to which you are assigned must receive ante-mortem inspection. This inspection is performed by an FSIS veterinarian (PHV) or by a Food Inspector under veterinary supervision. If it is performed by a Food Inspector, the PHV must be notified of any disease conditions that are observed.

#### **Authorities**

The Agency's authority for conducting ante-mortem inspection can be traced to the statutes. The authority for conducting ante-mortem inspection in livestock is found in 21 U.S. Code (USC), Chapter 12, Section 603, of the Federal Meat Inspection Act (FMIA).

The regulations covering ante-mortem inspection of livestock are found in Title 9 - Animals and Animal Products, Chapter III - Food Safety and Inspection Service, Department of Agriculture of the Code of Federal Regulations. Part 307.2 addresses the requirements for facilities for inspection. Part 309 covers ante-mortem inspection. Part 313 addresses the requirement for humane slaughter of livestock. Although we will cover the requirements for humane handling briefly, they are covered more extensively in the humane module of this training.

There are some FSIS Directives related to ante-mortem inspection. They include the FSIS Directive 6240-1, "Bovine Mycobacteriosis (*M. bovis*) Disposition Guideline," and the FSIS Directive 6900-1, Revision 1, "Humane Handling of Disabled Livestock." These are instructions to inspection personnel.

The statutes establish our authority to examine and inspect livestock prior to slaughter. Under the statues, we are to accept for slaughter as a result of inspection only those animals which are capable of producing products that are acceptable for use as human food. With this goal in mind, the purpose of ante-mortem inspection is to accept only those animals that are healthful, safe from harmful chemical and drug residues, and capable of being converted into wholesome product for the consumer. Inspection of live animals is a screening process to remove obviously diseased animals from the food supply prior to slaughter and to identify animals that require a more extensive postmortem examination by an FSIS veterinarian. It is the first line of defense in protecting the public from potentially harmful meat products. Those animals that exhibit abnormal signs must be withheld from normal slaughter and segregated for closer examination.

Establishments are required to handle livestock humanely. When you are performing your ante-mortem duties, you will also make observations and document any noncompliance with the humane handling requirements. Be aware of this as we continue. We'll cover the humane handling requirements in another module.

### **Establishment Responsibilities for Facilities and Conditions**

The regulations identify requirements that the establishment must meet for maintaining facilities where ante-mortem inspection is to be conducted. You are responsible for verifying that the establishment has met the regulatory requirements for maintaining the facilities where ante-mortem inspection is to be conducted. Let's review each of the requirements.

The establishment's responsibilities for maintaining the premises where ante-mortem inspection is to be conducted for livestock are outlined in 9 CFR 307, which covers facilities for inspection, and in 313, the humane handling regulation. Let's review each of them. The pens must be satisfactory for conducting ante-mortem inspection, and maintained in a sanitary condition (307.2(a)). Pens must be kept clean and be well drained (307.2(a)). The pens, driveways, and ramps must be maintained in good repair and free from sharp objects that may cause injury or pain to animals (313.1(a)). The floors of pens, driveways, and ramps must be well constructed and maintained and provide good footing for animals (313.1(b)).

The lighting must be sufficient for inspection (307.2(b)). You will need to use your judgment in determining whether the light is adequate or not. The regulations do not specify any measurement or level of light that the establishment is required to provide. Suspect pens and restraining devices require more light because these are places where animals are more closely examined during inspection. The establishment must provide adequate areas for holding animals that are identified by FSIS as suspect and condemned (307.2(a)). These are typically designated as the suspect and condemned pens. Pens where suspect animals are held must be covered to protect them from adverse weather conditions (313.1(c)). Although it is not required by the regulations, it is customary for the establishment to provide a weather-tight roof to provide an area for proper inspection during inclement weather. The plant typically also provides a restraining device such as a chute or squeeze gate for restraining animals and taking temperatures during the examination of animals.

The plant must provide an adequate system for the identification of animals (307.2(a)). Plant identification cards are commonly used. They are referred to by plant personnel as "pen cards" or "drive cards." These must be presented to the inspector before antemortem inspection is performed. The purpose of these cards is to account for all animals in the pen prior to ante-mortem inspection, and to ensure that every animal that comes to slaughter has received ante-mortem inspection. The regulations also require that establishments identify the carcass and parts with the animal from which they come (9 CFR 310.2 (a)), and that the establishment maintain records of the buyer and seller of livestock (9 CFR 320.1(b)(1)(iv)). Tags are typically used to maintain the identity of the carcass and its parts. Pen cards may be used to maintain a record of the buyer and seller of the livestock. There are spaces on the pen card for the date, the pen and lot number, the species, the breed, the number of animals, the inspector's signature, and the time of the day the animals were inspected. In most instances, the plant will record the information directly on the card for you. You should, however, check to see that the information is correct.

It is the responsibility of the plant to provide adequate, competent employees to move, segregate, restrain, identify and dispose of animals (307.2(a)). Do not allow yourself to become the plant foreman in the ante-mortem areas. You must closely monitor plant personnel to assure that they use humane animal handling practices at all times. You must also observe good safety practices since large animals can be very dangerous.

If the plant has not met one or more of its responsibilities, you must take action. The action you may take will vary from withholding inspection of a single pen of animals until the pen is properly identified, or to withholding inspection of all animal pens because the plant has failed to provide an employee to move and restrain the animals. There are more specific details for documenting noncompliance with the humane handling regulations that we cover in humane slaughter material.

### **Supplies for Performing Ante-mortem Inspection**

The ante-mortem inspection of livestock takes place in the pens. Each animal must be observed. The following equipment and supplies are recommended for performing antemortem inspection for livestock. You should have access to a thermometer, suspect and condemn tags, tagging pliers and hog rings, and a pencil for writing. You may also want to have a pad of paper and a clipboard for taking notes. Many inspectors keep all of these items together in a kit that they keep under lock and key in the ante-mortem area or in the government office. Some of the items you will be commonly using are:

- 1. A thermometer-This is supplied by the plant management. If you do not have one, or if the one you have is broken, request one from plant management.
- 2. Tagging Pliers-The tagging pliers, commonly called "hog ringers"; the hog rings are used to attach the suspect and condemn tags to the animal's ear.
- 3. U.S. Suspect (silver) and U.S. Condemned (red) tags.
- 4. Ante-mortem Card-FSIS Form 6150-1 is used to record and track suspect and condemned animals.
- 5. FSIS Form 6502-1 (U. S. Reject/Retain Tag) is attached to areas such as livestock pens to show that they are rejected for use because they didn't meet FSIS requirements and therefore did not pass inspection.

Following ante-mortem inspection you must record your findings. You will use the FSIS Form 6150-1 (Identification Tag-Ante-mortem), and possibly the FSIS Form 6200-16 (Summary of Ante-mortem Examination) to record your findings. You will also record your findings on the pen card (a plant form, discussed earlier). Remember that the pen card is a part of the procedure used to identify animals as having received ante-mortem inspection.

### **Ante-mortem Methodology**

Part 309 of the regulations covering livestock inspection states that, "All livestock offered for slaughter in an official establishment shall be examined and inspected on the day of,

and before, slaughter." A few small-volume plants are allowed exceptions to this rule, which will be discussed later. Part 309 goes on to say, "Such ante-mortem inspection shall be made in pens on the premises of the establishment at which the livestock are offered for slaughter." If the official establishment serves a dual purpose, such as a public stockyard or sale barn, as well as a slaughter facility, separate pens must be designated for animals presented for ante-mortem inspection and those destined for resale. You would only inspect those intended for slaughter. Livestock ante-mortem must be done by a PHV or a Food Inspector under the supervision of a PHV.

Ante-mortem inspection consists of two parts:

#### 1. Observe Animals at rest

#### 2. Observe Animals in motion

It is important to inspect the animals both at rest and in motion because certain abnormal signs, such as labored breathing, are easier to detect while the animals are at rest, while other abnormalities, such as lameness, may not be detected until you observe the animals in motion.

When you perform at-rest inspection, position yourself at various locations outside the pen. Observe all of the animals and note their general behavior while they're at rest. Determine if any of the animals show abnormal behavior patterns such as excessive excitability or severe depression. Look at the heads, necks, sides, rumps, and legs of as many animals as you can see. Make a note of any abnormalities.

When you perform in-motion inspection of the animals, you should position yourself outside of the pen next to the open gate so that you can easily view the animals as they are driven by you. You should direct the establishment employee to move all of the animals slowly and individually out of the pen and then back and forth, while you observe each animal for abnormalities by viewing the head, neck, shoulder, flank, legs, and rump. If the pen size permits, you may want to position yourself inside the pen and direct the establishment employee to move the animals past you both ways in the pen. Do this only if it is safe. In general, it is only safe to position yourself inside the pen when inspecting small livestock such as sheep, market-sized hogs (up to 250 lbs.) and calves. It cannot be overemphasized to always be alert and think safety. Cattle can be surprisingly fast and agile, particularly when agitated or startled. Never go into a pen of large livestock. This is especially true of a pen with a bull or a cow with a calf. Don't make the mistake of performing in-motion inspection immediately behind a loose, swinging gate. As the animals are driven out of the pen, they could push against the swinging gate and force it against you. Also, never position yourself in a corner or in a place that allows no escape to safety should an animal turn aggressive. Don't climb on high, unstable fences to view the animals during ante-mortem inspection. As in all areas of the plant, wearing your safety helmet during ante-mortem inspection is a good safety practice.

### **Alternative, Delayed, and Emergency Ante-mortem Inspection**

In addition to the manner in which ante-mortem inspection has just been described, there are other ways for performing it. They include alternative, delayed, and emergency ante-mortem inspection.

Alternate slaughter is the term used to describe the type of inspection that takes place when the establishment voluntarily segregates animals prior to ante mortem inspection. Many large plants elect to voluntarily segregate animals.

Be aware that FSIS Notice 46-05 indicates that alternative slaughter is no longer permitted for cattle.

Remember that inspection program personnel, under the Federal Meat Inspection Act, perform an ante-mortem examination and inspection on all animals prior to slaughter to determine that an animal is fit for slaughter for human food purposes. If an establishment fails to present animals for ante-mortem inspection in accordance with 21 USC 603 and 9 CFR 309.1, inspection program personnel will be unable to determine that carcasses are not adulterated during postmortem inspection, and therefore cannot permit the carcasses to be marked as "inspected and passed."

Provided the establishment properly presents animals for ante-mortem inspection and properly follows the Humane Slaughter Act, FSIS permits an establishment to voluntarily segregate animals, to facilitate the establishment's scheduling of swine and sheep (e.g., market hogs and lambs) for slaughter. As per Notice 46-05, FSIS will only permit market classes of swine and sheep (i.e., market hogs and lambs), arriving for regular slaughter (i.e., not arriving for slaughter under any APHIS Veterinary Services permit or certificate) to continue to be voluntarily segregated by the establishment prior to FSIS ante-mortem inspection activities provided that:

- market classes of animals comprise the predominant class slaughtered at the establishment.
- the establishment has documented its segregation procedures in a prerequisite program,
- all animals are presented to inspection program personnel for examination and inspection prior to slaughter, and
- the procedures in the prerequisite program and related records are available to inspection personnel upon request (as per FSIS Directive 5000.2).

Here are the inspection procedures you are to use to verify the establishment's segregation procedures for market swine and lambs prior to FSIS ante mortem inspection.

1. Verify that the segregation procedures are only for market classes of swine and lambs.

- 2. Examine all animals found normal by the establishment while the animals are "at rest," (i.e., by randomly moving around in the pens.) (9 CFR 309.1(a)).
- 3. Select 5 to 10 percent of all animals presented for ante-mortem inspection from several lots and observe them on each side in motion.
- 4. Instruct the establishment to move abnormal animals that may be condemned under 9 CFR part 311 to the designated "Suspect" pen under 9 CFR 307.2 for final disposition by the PHV.
- 5. Randomly observe establishment personnel performing segregation procedures (i.e., segregating those animals showing signs of abnormalities or diseases from healthy animals) at least once per month.

If an establishment does not have documented segregation procedures or fails to implement its segregation procedures properly, inspection program personnel do not take into consideration the establishment's segregation program.

For livestock classes other than market swine and lambs (such as cattle), establishments may presort animals prior to inspection and move the animals that may be designated "U.S. Suspect" or "U.S. Condemn" under 9 CFR part 309 and 311 to the designated "Suspect" pen for final disposition by the PHV. The PHV must conduct a careful examination and inspection on all animals in the "Suspect" pen. Inspection program personnel are to conduct an examination and inspection of all remaining animals by observing them both at rest and in motion.

**Delayed** slaughter is covered in the regulations (309.1(a)). Basically, delayed slaughter is a method of inspection that allows certain low volume plants, with prior approval of the circuit supervisor, to have ante-mortem inspection done the afternoon of the day before the animals are slaughtered. For example, a low-volume plant may be planning to slaughter two cows on Friday morning at a time when you will be conducting inspection duties at another establishment. If the plant is approved for delayed slaughter, it is permissible for you to perform ante-mortem inspection late Thursday afternoon when you are at the plant.

Special provisions have been made to allow the **emergency slaughter** of seriously injured animals during other than normal inspection time. As an example, on a Sunday a truck headed for a slaughtering establishment overturns and several of the animals are seriously injured. As a result, the establishment wants to slaughter the animals immediately rather than have them suffer pain until slaughtering operations begin on Monday morning. The establishment must contact FSIS personnel, explain the situation, and arrangements must be made for the inspection to take place. If the establishment is unable to contact FSIS personnel, the emergency slaughter provision allows plant personnel to slaughter the animals without ante-mortem inspection provided the carcass and all parts, including the viscera, are retained for postmortem inspection by FSIS. One very important thing to remember about emergency slaughter: It is NOT intended to

cover the slaughter of sick or dying animals, only those that are seriously injured. So animals that are sick or dying from a disease are not covered by emergency slaughter. In addition, emergency slaughter is not permitted for cattle.

### **Ante-mortem Dispositions**

There are three possible outcomes, or dispositions, that follow ante-mortem inspection:

- (1) passed for slaughter,
- (2) suspect, and
- (3) condemned

Let's discuss each of these outcomes in more detail. The animal can be passed for slaughter. This means that the animals were determined to be fit for human food. Those animals that clearly exhibit signs of diseases and conditions listed in the regulations must be condemned. This means that they are clearly not fit for human food, and they must be destroyed and not allowed to enter commerce as human food. Then there are those animals that may exhibit signs of the diseases or conditions defined in the regulations, but further confirmation during post mortem inspection is needed before condemning the carcass or a part of the carcass. In each of these three cases, there are certain things that you must do. Let's review each situation for livestock.

### Passed for Slaughter

After you complete ante-mortem inspection and properly record the results, you will then take action based on your findings. You will allow the animals that you have determined to be free of the diseases and conditions described in the regulations, and therefore fit for human food, to be released for slaughter. You will certify this to the establishment by signing and dating the time of ante-mortem inspection on the establishment's pen card. After you inspect the animals, you sign the card and write the time the animals received inspection. Signing the card indicates that the animals have received ante-mortem inspection and are ready for slaughter. The pen card is taken from the pen and delivered to the postmortem inspector by a plant employee prior to or at the time the animals are driven inside the establishment for slaughter. The postmortem inspector collects all of the pen cards and compares the number of animals recorded on the cards with the number of animals being slaughtered. This is done to determine if all animals being slaughtered have received ante-mortem inspection. It is recommended that the establishment hold pen cards of each day's operation for one week.

#### Suspect

Some of the animals may exhibit signs that cause you to question whether the animal is affected by a disease or condition described in the regulations (309.2). You will direct the establishment to place a "suspect" tag in the animal's ear and to segregate those animals with abnormal signs into the suspect pen for further observation by the PHV after you have completed the ante-mortem inspection. We'll cover some signs that will cause you to suspect animals of diseases and conditions listed in the regulations in the next section. But for now, a couple of simple examples of animals that should be tagged as "suspect" and placed in the suspect pen are animals that are seriously crippled and "downers" or those that are non-ambulatory. The exception is non-ambulatory cattle,

which are to be condemned. Section 309.2(n) states that all animals that are suspect must be set apart and slaughtered separately. When animals are placed in the suspect pen, they must be accompanied by FSIS Form 6150-1 (309.2 (o)).

After further examination of an animal in the suspect pen, the PVH may determine that the animal is not fit for human food according to the regulations and that it must be condemned. Alternately, the PHV may determine that the suspect animal is normal or that the abnormal signs you observed are not severe enough to have the animal suspected or condemned. This animal may be released for slaughter. If the plant employee moves this animal out of the suspect pen and into a different pen, be sure to make the necessary changes on the pen card. A third possibility is to have the suspect animal slaughtered separately and given a thorough postmortem examination by the PHV.

Section 309.2 (p) provides for occasions when the plant requests and receives permission to hold an animal for treatment in an effort to improve the animal's condition to the point that it may become eligible for slaughter. This "on-premises treatment" is a relatively rare occurrence, but, if it does occur, the PHV has certain responsibilities. The identity of the animal must be maintained throughout the treatment period. The animal must be placed in a separate pen identified with a pen card. In addition, the FSIS Form 6150-1 must be changed. Cross out the word, "slaughter," and write in the phrase "held for treatment" in the appropriate space. Following the treatment, the veterinarian will examine the animal and direct you as to what action to take.

Another possibility is that the plant may request and receive permission to have an animal treated off-premises, such as at a local veterinary clinic. These animals must also be kept in an identified pen until they are picked up for treatment. The suspect tag is removed just before the animal is shipped. The tag can be removed because a different type of identification system will be used to identify the animal after it leaves the plant premises.

#### Condemned

An animal that is condemned during ante-mortem inspection is not eligible for slaughter because it has been identified as having diseases or conditions specified in the regulations that make it unfit for human food. For example, 309.3 indicates that dead, dying, disabled, or diseased livestock are to be condemned. It is your responsibility to identify the animal so that it is neither slaughtered nor used for human food. This is accomplished by placing a U. S. Condemned tag in the animal's ear. The FSIS Form 6150-1 must also be completed. The number of the U. S. Condemned tag that was placed in the animal's ear is written in the space provided on the form.

Section 309.13 covers the regulatory requirements for the disposition of condemned livestock. Any livestock that is condemned must have a U. S. Condemned tag placed in its ear. The FSIS PHV usually completes form 6150-1, and ensures that the establishment properly disposes of the condemned animal.

Since the plant cannot slaughter a condemned animal nor use it for human food, the plant usually promptly kills the animal and immediately disposes of the carcass in one of

two ways that have been approved by regulation. Many plants have their own disposal equipment and facilities. When a carcass is disposed of in this way, it is termed "on-premises rendering." Plants that do not have their own disposal equipment and facilities have the carcass sent to some other place. This is called "off-premises disposal." Regardless of the plant's method of disposal, inspection personnel have certain responsibilities. These responsibilities are detailed in the self-instructional guide "Identification, Control, and Destruction of Condemned Meat Materials." Refer to this guide when your job assignment requires you to oversee the disposal of a condemned animal.

Here's an example. Obviously, as indicated earlier, a dead animal may not be used for human food. When you observe an animal that arrives at the plant dead or subsequently dies in a pen, including the suspect pen, you must make sure that there is an adequate control to prevent the animal from entering the food supply. You must take the following steps:

- 1. Identify the animal as condemned with a red U.S. Suspect tag.
- 2. Fill out an FSIS Form 6150-1 and write the words "Dead in Pens" or "Dead on Arrival" in the "Tagged For" space.
- 3. Have the animal properly disposed of. (Follow the steps in the guide "Identification, Control, and Destruction of Condemned Meat Material.")

#### **FSIS Form 6150-1**

As indicated earlier, when you perform the ante-mortem inspection procedure, you observe each animal for abnormal signs. When you find an animal exhibiting signs of the diseases and conditions described in the regulations, you may be called upon to record the signs on the FSIS Form 6150-1. The form has two sections. The upper section contains most of the information that identifies the animal, such as the kind of animal, sex of the animal, and the animal's approximate weight. You will complete the upper section of the card. Under the "kind of animal" section, terms like Hereford, Jersey, Buffalo, Santa Gertrudis, Hampshire, Yorkshire, Duroc, etc., should be used. When you are using a single 6150-1 form to identify more than one animal, be sure to indicate the number in the section "kind of animal": 3 Herefords, 2 Holsteins, etc. Also record all back tag numbers, ear tag numbers, etc., for each animal. The lower section, the postmortem report, will be completed by the veterinarian responsible for postmortem inspection.

The FSIS Form 6150-1 contains the following sections:

<u>Slaughter at establishment</u> - Indicate the official establishment number where the animal is to be slaughtered.

<u>Condemned or suspect tag</u> - If you apply a U.S. Suspect tag, enter the number of the tag and cross out the word "condemned?"

Sex - Use terms like bull, cow, heifer, shoat, ewe, barrow, etc.

<u>Tagged for</u> - Indicate the condition for which you tagged the animal, (e.g., actinobacillosis, epithelioma, downer, TB reactor, pneumonia, broken leg, etc). If you feel it is necessary to add more information, use a phrase like "see back of form" and then write the information on the back of the form.

<u>Temperature</u> - Indicate the temperature in degrees F. You must take the temperature of all downers, TB reactors, mastitis elimination cows, and all animals exhibiting signs of an abnormal temperature

Weight - Estimate the animal's weight in pounds.

<u>Remarks</u> - The veterinarian will complete the remarks section after determining the antemortem disposition and then sign and date the form. Depending on local policy; the optional postmortem report section may or may not be completed.

#### **FSIS Form 6200-16**

The FSIS Form 6200-16 (formerly MP Form 402-1) (Summary of Ante-mortem Examination) is used to record daily ante-mortem activities. This form is optional and its use is at the discretion of the circuit supervisor.

### **General Signs of Diseases and Conditions**

This section covers some general signs that indicate an animal may have a condition or disease referenced in the regulations, making it unwholesome, adulterated, or unfit for human food. In general, these signs include the following.

- Body movement
- Body condition
- Signs on the body's surface

### Abnormal Body Movement

Ante-mortem signs that indicate an animal may have a condition or disease referenced in the regulations can be associated with body movement and action, body position, condition, function, surfaces, discharges, and body odor. Some examples of the signs associated with body movement, action and position include:

- 1. Lameness or limping-sometimes the cause of lameness is rather obvious; sometimes not.
- 2. Stiffness and pain-lameness may be caused by arthritis in one or more joints.
- Central Nervous System (CNS) diseases-certain diseases such as rabies and listeriosis can affect the brain and CNS. The animal may appear extremely nervous or restless, excessively anxious or upset, or stagger or circle.

- 4. Certain poisons and toxic residues that the animal has been exposed to may cause abnormal movement and action, such as staggering or circling.
- 5. Depression or disinterest may be a sign that the animal is in a dying or moribund state. A moribund animal may not respond to noises or other stimuli. Animals in a moribund condition are not eligible for slaughter.
- 6. It is possible that an animal that is depressed or fails to respond normally to stimuli could be under the influence of a tranquilizer. Tranquilized animals are not eligible for slaughter. Tranquilizers and other drugs have specific withdrawal periods that must elapse before the animal is eligible for slaughter.
- 7. An animal may be disoriented and run into things or butt its head against objects.
- 8. Animals may scratch excessively or rub their hide against objects. Scratching and rubbing associated with hair loss may indicate that the animal has lice or mange infestation. Scabies is a mange condition that is a reportable disease. The veterinarian must report this condition to other health agencies. These agencies may want to take skin scrapings from the animal to confirm the diagnosis.
- 9. Animals may have muscle tremors or shivering, hold their head to one side, or have any number of abnormal gaits.
- 10. Animals may strain and assume abnormal body positions. For example, urinary or intestinal disorders may cause straining and abnormal positions such as arching of the back, tucking in of the abdomen (stomach), and extending the neck and tail.
- 11. An animal may have difficulty in rising or be unable to get up at all. These "downers" may be down for a variety of reasons ranging from an injury to severe illness or depression. All "downers" must be examined by the veterinarian. The veterinarian may choose to examine these animals where they are rather that move them to the suspect pen to avoid unnecessary handling and pain or injury to the animal.

#### Abnormal Body Condition

You will also see animals with signs associated with abnormal body condition. Examples of abnormal body condition include:

- 1. Animals that are extremely thin and weak you may see animals that are thin and weak due to chronic disease problems such as pericarditis, pneumonia, nephritis, etc. Animals that are in very poor condition and exhibit other signs such as depression, lethargy, respiratory difficulty, etc., should be placed in the suspect pen. Remember, though, that animals can be normally thin. So thinness alone may not be an abnormal sign. For example, some old cows may be very thin, but they may be bright and alert, have a good appetite, and show no other abnormal signs. They should not be placed in the suspect pen.
- 2. Calves (especially when very young) may be weak, thin, and dehydrated. They may be uncoordinated or barely able to stand. They should be placed in the suspect pen.

Abnormal signs associated with body functions include respiratory distress such as labored or rapid breathing. These signs are commonly seen in animals with lung disorders such as pneumonia. Coughing and sneezing are other signs associated with pneumonia and other respiratory disorders.

You may occasionally see animals in the act of parturition which is giving birth to young. The regulations prohibit the slaughter of these animals for human food until after they have given birth and passed the placenta (afterbirth). A cow with mastitis may have a hot, hard, swollen, and tender udder. Milk secretion may have partially or entirely stopped. A loss of appetite may be present. In advanced cases, the udder may become hardened throughout.

Animals may exhibit pain. Pain may be manifested by signs such as groaning, grunting, or grinding of teeth. You may also see animals that have difficulty drinking and swallowing or appear to be blind. All of these signs are abnormal and may be associated with a great variety of diseases.

It is not uncommon during ante-mortem inspection to observe an animal with an eye missing. Any bovine with an eye missing must be handled as a suspect. Be sure to place this animal in the suspect pen for the veterinarian to examine. These animals are suspects for epithelioma (cancer eye).

### Abnormal Signs on the Body's Surface

There are a great number of abnormal signs associated with body surfaces. Injuries and fractures are included in this group. When observing animals, be on the alert for abnormal growths, swellings, and enlargements such as hernias. Two common conditions you may see are actinomycosis and epithelioma. Actinomycosis (commonly called "acti" or "lumpy jaw") involves the bony structures of the head, particularly the lower jaw (mandible). Epithelioma (commonly referred to as "cancer eye" or "bug eye") is a neoplastic growth involving the eye, eyelids, and the orbital region. The tumor appears to originate in either the cornea, third eyelid, or the eyelids. Herefords are by far the breed most commonly affected.

Abnormalities of the skin and mucus membranes will be observed while performing antemortem inspection. Animals may exhibit a variety of skin lesions including papillomas (warts). They may have a roughened, dry, or dehydrated hair coat or large patches of hair missing. Be on the lookout for superficial ulcers, sores, blisters or vesicles, particularly around the feet or around the mouth. There are several diseases that may cause these signs, including the dreaded foot-and-mouth disease, which is a reportable disease. If lesions are infested with maggots, notify the veterinarian because he or she will have to collect samples and send them to the laboratory. The laboratory will examine the maggots to see if they are screwworm larvae. Allied government animal health agencies have been trying for years to control the incidence and spread of screwworm infestations in this country.

The color of exposed membranes of the body, such as the gums or the eyes, may be an indication of a disease condition. The membranes may appear reddened, or very pale, or may have a yellowish color to them.

While observing body surfaces, be on the lookout for injection sites. Abnormal swelling, especially in the round or neck areas, could be an indication that animal was recently given an injection. Approved drugs have a very specific withdrawal period prior to slaughter that, if not followed, can result in potentially harmful residues in the muscle tissue. If you observe an injection site on an animal, you must make it a suspect so that the veterinarian can perform tests to determine if residues are present in the tissues.

Animals may also show signs of abnormal body discharges or abnormal odors. Abnormal discharges can include excessive salivation, diarrhea, blood, and pus. In a broad sense, animals with a retained placenta (afterbirth) can be included in this group. Be sure that animals with a retained placenta are placed in the suspect pen as the regulations prohibit the slaughtering of such animals until all the membranes have been passed.

Along with a thorough visual examination of animals, your sense of smell is a very important aspect of performing ante-mortem inspection. For example, an animal may have a prolapsed rectum or uterus that has become infected and results in a strong, foul odor. At times when looking at a large pen of animals you may not at first see a wound or prolapse, but you may detect the characteristic odor that will alert you to look more closely at the animals. An epithelioma of the eye that has become infected is another example of an abnormality that may be associated with a very characteristic foul odor.

One of the steps in examining suspect livestock the PHV can conduct is to take the temperature of the animal. This chart shows the range of normal body temperatures, as well as the condemnation temperatures, for the various species. The regulations specifically state a certain temperature at which the veterinarian must condemn the animal. This chart is given as a reference.

Normal Animal Temperature Ranges					
	Cattle	Swine	Sheep	Horses	
Maximum	102.5	104.0	104.0	100.5	
Average	101.5	102.5	102.5	100.0	
Minimum	100.0	100.5	102.0	99.0	
Veterinarian Condemns on Ante-mortem if:					
	105.0	106.0	105.0	105.0	

#### **Vaccine Livestock**

Section 309.11 of the regulations state that, "Vaccine livestock with unhealed lesions of vaccine, accompanied with fever, which have not been exposed to any other infectious or contagious disease are not required to be slaughtered and may be released for removal from the premises."

### **Biological Residues**

Section 309.16 of the regulations covers livestock suspected of having biological residues. This includes livestock that have been exposed to any type of substance that would make the carcass or parts unfit for human food or otherwise adulterated. These livestock must be condemned. They may be held under the custody of FSIS until the animal's metabolic processes have reduced the residue sufficiently for the carcass or parts to become fit for human food and not adulterated. In these cases, once the holding time period has passed, the animal must be returned for slaughter and be re-examined in ante-mortem inspection. It is permitted to allow these animals to be slaughtered for the purpose of collecting tissue to conduct an analysis of the residue. The analysis can include in-plant screening tests.

#### **Research Animals**

Section 309.17 covers livestock that have been used for research purposes. The regulations prohibit the slaughter of any livestock that have been used in experiments involving biological products, drugs, or chemicals unless the establishment has written documentation of the safety of these animals from an appropriate authority, such as APHIS, EPA, or FDA. Any animals that have been subjected to food additives or pesticide chemicals must demonstrate compliance with the FDA tolerance levels for these substances. The PHV may deny or withdraw slaughter for any suspect animals to ensure that all products that are prepared at the establishment are free from adulteration.

### **Veterinary Services**

Veterinary Services (VS) is an organizational unit of the Animal and Plant Health Inspection Service (APHIS). The overall mission of VS is to control or eradicate specified animal diseases in this country. Your role will be to contact the PHV when you suspect animals of having a disease. Reportable diseases include anthrax, bluetongue, cysticercosis, scabies, tuberculosis, contagious ecthyma, myiasis (screwworm), scrapie, and vesicular diseases. Of these diseases, anthrax, cysticercosis, tuberculosis, and contagious ecthyma are transmissible to humans. Foreign animal diseases include bovine spongiform encephalopathy (BSE), foot and mouth disease, rinderpest, African swine fever, hog cholera, contagious bovine pleuropneumonia, and Teschen's disease. In most cases, VS will want the animal held so they can examine it. For example, in the case of livestock, the veterinarian will first identify the animal with a reportable disease

as condemned and then have the animal placed in a separate pen identified with a pen card. The establishment employees will be notified that the animal is not to be removed from the pen for any reason without the permission of the veterinarian or some other animal health official.

### **WORKSHOP**

Write your answers in the space provided.

1.	State the body temperature at which each of the following species must be condemned.
	Cattle Sheep Swine
2.	Which tag should be used for tagging an animal found dead in the pens?
	Silver U. S. Suspect tag
	Red U. S. Condemned tag
	A tag is <b>not</b> necessary
3.	Downer
	An animal unable to rise and walk
	An animal showing signs of an abnormal condition
	An animal found dead in the pens
4.	U.S. Suspect
	An animal that is obviously sick
	An animal that will not respond to stimuli

	An animal identified with a U.S. Suspect tag in its ear or one that has been segregated into the U.S. Suspect pen because of an abnormal condition
5.	U.S. Suspect tag
	"U.S. Rejected."
	A serially numbered metal tag bearing the term "U.S. Suspect" and is silved in color
ô.	U.S. Condemned tag
	A serially numbered metal ear tag bearing the term "U.S. Condemned"-usually red in color
	The paper tag used to identify equipment or product as "U.S. Retained" or "U.S. Rejected"
7.	Emergency slaughter
	The humane slaughter of an animal which has become sick or is in a dying state during the time an inspector is <i>not</i> on duty or <i>not</i> available for inspection
	The humane slaughter of an animal which is or was injured at night, on a holiday, or during a weekend, and an inspector is <i>not</i> on duty or <i>not</i> available for inspection

8.	From the following list of facilities and equipment, select those that the official establishment should provide.
	Restraining device in suspect pen (or other acceptable method)
	Covered suspect pen
	20 foot-candles lighting in suspect pen. Adequate personnel to handle and drive livestock
	Suspect and condemned tags
	An accurate thermometer for inspection use
	Curbs at least 12" high around the Ante-mortem pens. Drinking water for livestock in each pen
	At least once per day, clean up of all pens
	A method to attach pen cards to pens

9. Use the following information to complete the pen card below:

You just performed ante-mortem inspection on 24 animals (13 Holstein cows, 5 Angus steers, and 6 Hereford heifers) in pen #16. They are in Lot #39. One of the 13 cows had a vaginal prolapse, therefore, you had her placed in the U. S. Suspect pen

PEN CARD				
DATE	PEN#			
SPECIES:	LOT			
BREED:				
NUMBER:				
TIMESIGNATURE				

10. What happens to the above pen card when the animals are sent to slaughter?

## 11. Complete the FSIS Form 6150-1 using the following information:

You performed ante-mortem inspection on this date at Est. 38. The veterinarian condemned one Hereford bull for epithelioma. (back tag #999 and condemn tag #456)

U.S. DEPARTMENT OF AGRICULTURE FOOD SAFETY AND INSPECTION SERVICE MEAT AND POULTRY INSPECTION OPERATIONS			
IDENTIFICATION TA	AG-ANTE-MORTEM		
SLAUGHTER AT EST. NO.			
CONDEMNED OR SUSPECT TAG NO.			
KIND OF ANIMAL	SEX		
TAGGED FOR			
TEMPERATURE	WEIGHT		
REMARKS			
INSPECTOR	DATE		
POST MORTEM REPORT FINDINGS			
DISPOSAL			
INSPECTOR	DATE		
FSIS FORM 6150-1 (9/99)	REPLACES MP 402-2 9/83 WHICH MAY BE USED UNTIL EXHAUSTED		